

GLYCELITE FAÇADE INSECTICIDE

DEFINICION

GLYCELITE FAÇADE INSECTICIDE is a matt finish water based microporous insecticide paint decoration specially developed with EBS Hydro Pliolite® (Emulsified Binding System) technology.

GLYCELITE FAÇADE INSECTICIDE assures the decoration and the protection of outdoor masonries exposed to atmospheric pollutions and to the dirtying. Not suitable on substrates with cracks.

PROPERTIES

- Ready for use
- **Destroys by contact for at least 2 years spiders. Avoids the apparition of spiders' webs and allows keeping the façades aesthetic.**
- **Preparation subjected to the Biocides Directive 98/8/EC.**
- Adherence without primer coat on porous, powdery new or old substrates.
- Penetrates deeply in the substrates.
- Excellent performance on alkaline substrate.
- Very good resistance to dirtying.
- Very good resistance of the colours to ultraviolet.
- Very easy to apply: odourless, few splashes when applied.
- Rapid drying.
- High spreading rate. High hiding power.

SUBSTRATES

Cement, concrete, brick, cinder-block, old inorganic or organic matt finish paint.

TECHNICAL DATAS

Classification

AFNOR NF T 36005 - Family I - Class 7a2

V.O.C.

E.U. limit value of this product (Cat. A/c) : 75 g/l (2007). This product contains max. 72 g/l. EBS (Emulsified Binding System) Hydro Pliolite® binding. Contains a biocide substance.

Composition

1.5 kg/l

Density

63%

Non volatile matter

Flash point

Not flammable

Aspect

Deep matt

Colour

White. Pastel colours obtained with 3% max. of solvent free universal dyestuffs.

Drying at 20°C

Dust proof : 1 h. Recoatable : 6 h. (*allow for adequate ventilation during the drying period*).

Spreading rate

8 to 10 sqm/l per coat according to substrate porosity and relief.

Gloss at 60°

1 to 2

USE ADVICES

Substrates' preparation

Dirt and non-adhering particles have to be eliminated with a high-pressure machine or by a scrubbing.

Application conditions

GLYCELITE FAÇADE INSECTICIDE can be applied with a brush, a roller or a pulverizer according to the NF P 74-201-1 standard (D.T.U. 59.1). The substrate must be dry with superficial temperature of between +5°C and +35°C. Do not apply when the relative humidity is above 80% during application. Do not paint in freezing or raining conditions. Apply 2 coats of **GLYCELITE FAÇADE INSECTICIDE**.

Important : to keep its insecticidal efficacy **GLYCELITE FAÇADE INSECTICIDE** must be neither covered nor mixed with any other paint.

Cleaning

Wash with clean water immediately after use.

STORAGE

2 years starting from the manufacturing date, in unopened packing of origin, stored in frost-free conditions. Limit date of use and batch n° see white label on the body of the tin.

PACKAGING

12 L tins



HYGIENE AND SAFETY

Use biocides carefully. Very toxic to aquatic organisms. May cause long-term adverse effects on the aquatic environment. Avoid release to the environment. Avoid contact with skin. Can cause allergic reaction. Do not breathe vapours and sprays. If swallowed, do not induce vomiting, seek for medical advice immediately.

SDS available on websites www.artilin.fr or www.quickfds.com.

